

PARAMOUNT

CHEMICALS & PLASTICS, INC.

Sodium Hydroxide 50% Solution

Safety Data Sheet (SDS)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product/Chemical Name: Sodium Hydroxide Solution

Chemical Family: Inorganic alkalis

General Use: Drinking water treatment, papermaking and other manufacturing applications

Distributor Information:

Paramount Chemicals & Plastics, Inc.

CCN 811901

Warehouse:

14470 S State Road 29

Felda, FL 33930

Phone: (863) 674-1800

Fax: (863) 674-1802

E-mail: kenatparamountchem@earthlink.net

CHEMTREC - 24 Hour Emergency Telephone- call: 1-800-424-9300

CCN 811901

SECTION 2. HAZARDS IDENTIFICATION

Signal Word: DANGER



Hazard Statements: Causes severe skin burns and eye damage.

Harmful if swallowed or inhaled.

May be corrosive to metals.

Reacts violently with strong acids.

Precautionary Statements: Do not get in eyes, on skin or on clothing.

Wear gloves, eye and face protection and protective clothing.

Do not breathe mist, vapors, or spray.

Avoid release to the environment

IF IN EYES: Rinse cautiously with water for at least twenty (20) minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Rinse mouth. Do not induce vomiting

IF ON SKIN: Remove immediately all contaminated clothing. Rinse skin with shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get immediate medical attention.

Collect spillage.

Store in a closed container.

Dispose of container in accordance with local, state, province and federal regulations.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Substance Sodium Hydroxide Solution

Chemical Name: Sodium Hydroxide CAS#: 1310-73-2 (49 - 51%)

Sodium Chloride CAS#: 7647-14-5 (<1%)

Water CAS#: 7732-18-5 (49 - 51%)

Synonyms: Caustic Soda, Caustic Alkali, Lye, Caustic Soda Liquid 50%, Soda Lye, Liquid Caustic, Sodium Hydrate.

SECTION 4. FIRST AID MEASURES

Inhalation of mist or liquid: Remove person from source of exposure to fresh air. If breathing is difficult, administer oxygen. If not breathing, start CPR. Get medical attention immediately.

Eye contact: Immediately flush eyes with plenty of water for at least twenty (20) minutes while holding eyelids open.

Get medical attention immediately.

Skin contact: Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing. Get medical attention immediately.

Ingestion: If fully conscious, drink as much water as can be tolerated. DO NOT induce vomiting. DO NOT neutralize with acidic juices. Get medical attention immediately.

Most Important Symptoms/Effects:

Inhalation: Mists may severely irritate nose, throat, lungs, mucous membranes, respiratory tract. Mists may cause sore throat, coughing, sneezing, labored breathing, burning sensation.

Skin contact: Severely corrosive to the skin. Causes severe burns.

Eye contact: Severely corrosive to the eyes. Causes eye burns. Direct contact with the eyes can cause irreversible damage, including blindness.

Ingestion: Can cause chemical burns of the mouth, throat, and gastrointestinal tract. May cause pain, nausea, vomiting.

SECTION 5. FIRE FIGHTING MEASURES

Flammability:

Product is not flammable and will not burn.

Suitable Extinguishing Media:

For fires in area, use appropriate extinguishing media.

Specific Hazards Arising from the Chemical:

In a fire, dried product can decompose at elevated temperatures and may release toxic fumes/vapors. Exposure to products of decomposition during a fire may be hazardous. Spilled sodium hydroxide solution can cause slippery footing.

Special Protective Equipment and Precautions for Firefighters:

Wear full protective fire fighting clothing including NIOSH approved self contained breathing apparatus. Remain upwind of fire to avoid hazardous vapors and decomposition products.

SECTION 6. ACCIDENTAL RELEASE MEASURES

General:

Site specific procedures to address accidental spills are necessary as dictated by facility design, location, staffing, containment structures, and regulatory requirements. Consult engineers if needed.

Personal Precautions, Protective Equipment and Emergency Procedures:

In the event of a spill, clear unnecessary personnel from spill area. If direct contact with spilled material is likely, use personal protective equipment recommended in Section 8. Maintain adequate ventilation. Spilled material will be slippery.

Methods and Materials for Containment and Cleaning Up:

Shut off source of leak if safe to do so. Manage spill using containment structures or inert materials and collect for reuse. Product not reused can be neutralized using dry citric acid or weak sulfuric acid. Neutralized residue can be swept up or rinsed down with water and captured using absorbent materials for disposal in accordance with local, state, province, and federal regulations. Avoid direct discharge to sewers and surface waters. Notify authorities if entry occurs.

SECTION 7. HANDLING AND STORAGE

Incompatible Chemicals:

Avoid contact with acids and acidic (low pH) materials.

Containment:

To minimize the possibility of a release into the environment and contact with other incompatible chemicals, storage tanks and containers should have a dedicated liquid tight secondary containment system. Consult engineers if needed.

General Hygiene:

Do not eat, drink, take medication or smoke when direct contact is possible. Always thoroughly wash hands after leaving a work area where contact is possible or has occurred.

Storage:

Keep storage tanks and containers closed and contents protected from dust, dirt, and moisture. Clean storage tanks on a regular schedule based on inspection and experience. Have storage tanks, containers, and transfer systems properly labeled for contents. Have procedures for determining product quantity in storage tanks and for accepting deliveries. Use tanks, transfer lines, pumps valves and process instrumentation designed for this material using approved materials of construction. Some materials commonly used are mild steel, stainless steel, some plastics, and FRP. Nonferrous metals and their alloys will be damaged by corrosion. Consult engineers if needed.

Temperature for Storage:

Preferred storage temperature range is 20°C-43°C (68°F-110°F). Outside of these temperature ranges optimal product stability and shelf life may be affected.

Ventilation:

No special requirements.

Personal Protection:

If direct contact with material is likely use personal protective equipment.

SECTION 8. EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Limits

Ingredient: Sodium Hydroxide Mists/Vapors

NIOSH

IDLH

10mg/m³

NIOSH TLV

TWA CEILING

none est. 2mg/m³

ACGIH TLV

TWA CEILING

none est. 2mg/m³

OSHA PEL

TWA STEL

2mg/m³ none est.

Respiratory - Ventilation: Local passive ventilation is typically used. Under normal conditions respiratory protective equipment is not needed. If work requires direct exposure to product mist, use appropriate, NIOSH approved respiratory protection. Consult engineers if necessary.

Eye - Skin wash: Have appropriate eye wash and safety shower stations available in the work area.

Eyes: Use protective eye glasses with side shields/goggles and face shield protection to prevent direct contact.

Skin: Wear impervious pants, jacket, gloves and boots. For spill cleanup, use impervious pants, jacket, gloves, boots, and hardhat. If Sodium Hydroxide mist/vapor are present, wear NIOSH approved respiratory protection.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Liquid, clear to slight haze, colorless to light grey tint.

Odor: No odor

Odor Threshold: NA

pH: 14 as is basis

Melting/Freeze point-range: 10°C-12.8°C (50°F-55°F) approx.

Boiling point-range: 130°C-143°C (266°F- 289°F) approx.

Flash point: NA

Evaporation rate: NA

Flammability: Not flammable.

Upper/lower flammability limits: NA

Vapor pressure: NA

Vapor density: NA

Relative Density (Specific Gravity): 1.53 S.G. @ 15.6°C (60°F)

Water Solubility: Complete.

Partial coefficient: n-octanol/water: NA

Auto ignition: NA

Decomposition temperature: NA

Viscosity: 75-80 cps @ 20°C (68°F)

SECTION 10. STABILITY AND REACTIVITY

Reactivity: Reacts violently with strong acids.

Chemical Stability: Product is chemically stable under normal ambient temperature and conditions while stored or used.

Possibility of Hazardous Reactions: Product will not polymerize.

Conditions to Avoid: Avoid freezing. Keep away from incompatibles. Contact with metals (aluminum, zinc, tin) and sodium tetrahydroborate liberates hydrogen gas. Corrosive to aluminum, tin, zinc, copper and most alloys in which they are present including brass and bronze. Corrosive to steels at elevated temperatures above 40°C (104°F).

Incompatible Materials: Oxidizing agents. Acids. Phosphorus. Aluminum. Zinc. Tin. Initiates or catalyzes violent polymerization of acetaldehyde, acrolein or acrylonitrile. Consult engineers if necessary.

Hazardous Decomposition Products:

At elevated temperatures toxic fumes/vapors may be released.

SECTION 11. TOXICOLOGICAL INFORMATION

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Sodium Hydroxide(1310-73-2)

Oral LD50 Rat 140-340 mg/kg; Dermal LD50 Rabbit 1350 mg/kg

HEALTH EFFECTS

Inhalation - Acute Exposure

Mists may severely irritate nose, throat, lungs, mucous membranes, respiratory tract. Mists may cause sore throat, coughing, sneezing, labored breathing, burning sensation. Effects will depend on concentration and length of time of exposure.

Inhalation - Chronic Exposure

No data available.

Skin Contact - Acute Exposure

Severely corrosive to the skin. Causes severe burns.

Skin Contact - Chronic Exposure

No data available.

Eye Contact - Acute Exposure

Severely corrosive to the eyes. Causes eye burns. Direct contact with the eyes can cause irreversible damage, including blindness.

Eye Contact - Chronic Exposure

No data available.

Ingestion - Acute Exposure

Can cause chemical burns of the mouth, throat, and gastrointestinal tract. May cause pain, nausea, vomiting.

Ingestion - Chronic Exposure

No data available.

Sensitization:

Not sensitizing

Carcinogenicity:

NTP Not listed. IARC Not listed. OSHA Not listed.

Reproductive Toxicity, Mutagenic or teratogenic effects:

No known reproductive toxicity, mutagenic or teratogenic effects in animal experiments are known.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity (aquatic):

Sodium Hydroxide(1310-73-2)

Fish: 96 Hr LC50 Western Mosquitofish: 125 mg/L; 48 Hr LC50 Bluegill: 99 mg/L

Invertebrate: 48 hr EC50 Daphnia magna: 34.59 - 47.13 mg/L

Persistence and Degradability:

No information available

Bioaccumulation Potential:

This product is not expected to bioaccumulate.

Mobility in Soil:

No information available.

Other Adverse Effects: No information available.

SECTION 13. DISPOSAL CONSIDERATIONS

RCRA Hazardous Waste: Not listed. Waste product may be D002 under §261.22(a)(2) if the pH >12.5.

Neutralization:

Product can be neutralized using dry citric acid or weak sulfuric acid. Neutralized residue can be swept up or rinsed down with water and captured using absorbent materials for reuse or disposal in accordance with local, state, province, and federal regulations.

Contaminated Packaging:

Packaging and storage containers that cannot be thoroughly cleaned must be disposed of in accordance with

local, state, province, and federal regulations.

SECTION 14. TRANSPORTATION INFORMATION

Land (DOT), Sea (IMDG), Air (ICAO/IATA)

Identification Number: UN1824

Proper Shipping Name: Sodium Hydroxide Solution

Hazard Class: 8

Packing Group: II

Environmental Hazards: Marine pollutant: no; Hazardous substance: yes

Special Precautions: None known

SECTION 15. REGULATORY INFORMATION

RCRA Hazardous Waste: Not Listed.

Unused, un-neutralized product may be a Characteristic Waste (D002). Consult engineers if necessary.

CERCLA Hazardous Substance: yes

CERCLA Reportable Quantity (RQ): 1000 lbs.

SARA 311/312 Categories:

Acute (immediate) health effects: Yes

Chronic (delayed) health effects: No

Sudden release of pressure hazard: No

Reactivity hazard: Yes

Fire hazard: No

SARA 313 Toxic Chemical Listing: Not listed

SARA Extremely Hazardous Substance (EHS): Not listed

OSHA Air (29CFR 1910.10000, Table Z-1, Z-1A): Listed

OSHA Special Regulated Substance (29CFR 1910): Not listed

United States TSCA Section Inventory Status: Product exempt or listed on the TSCA Inventory.

State Regulations: State specific regulations have not been determined by GAC Chemical Corporation. Consult engineers if necessary.

SECTION 16. OTHER INFORMATION

NSF/ANSI 60 Drinking Water Treatment Chemicals:

Sodium Hydroxide-50%: Maximum use 100mg/L

Caustic Soda-50%: Maximum use 100mg/L

HMIS Rating:

Health: 3

Flammability: 0

Reactivity: 1

NFPA Rating:

Health: 3

Fire: 0

Reactivity: 1

Last Updated: 08/2017

This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. The information contained herein is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information or product for their particular purposes. In no event shall Paramount Chemicals & Plastics, Inc. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Paramount Chemicals & Plastics, Inc. has been advised of the possibility of such damages.